
WARNING: To avoid serious personal injury:

- Carefully and strictly follow assembly instructions. Improper assembly of furniture can result in structural failure, instability of the product, or tip-over.
- Monitor and carefully control the assembly components. These include small
 parts and hardware that may present a choking hazard to small children.
 Bob's furniture should be assembled only by responsible adults and children
 should not be involved in the assembly process.
- Where provided, wall mounting hardware should always be used as
 prescribed in these instructions to anchor furniture to wall. Proper use of the
 wall mounting hardware can significantly reduce the potential for furniture
 tip-over and crushing injuries.

Toilet Base




Thank you for purchasing the Toilet Base. We have found it helpful to have a second person present during the assembly process.

Toilet Base Assembly Instructions

Parts

NO.	DRAWING	DESCRIPTION	QTY
A		TABLE TOP	1
В		SUPPORT FRAME	2
С		SIDE FRAME	2

NO.	DRAWING	DESCRIPTION	QTY
D	9	M6x45MM BOLT	12
E		ALLEN KEY	1
F	ALLIEN- ALLIEN- ALLIEN- ALLIEN-	ANTI-TIP	1



Step 1


Read through these instructions thoroughly before beginning assembly. We have found this to be of great value when assembling this product.

Step 2

Remove all parts and hardware from packing material. Wooden pieces should be placed on a non abrasive surface to prevent damage to the finish

Step 3

Lay Table Top Assembly (A) upside down on a non abrasive surface. Attach Support Frame (B) to Table Top (A) using 4-M6x45MM Hex Bolts (D).NOTE: TIGHTEN ALL BOLTS AT THIS TIME!



CARE

Clean with a non abrasive cloth using a mild soap. Make sure to wipe dry.

WARNING: To avoid serious personal injury:

- Carefully and strictly follow assembly instructions. Improper assembly of furniture can result in structural failure, instability of the product, or tip-over.
- Monitor and carefully control the assembly components. These include small
 parts and hardware that may present a choking hazard to small children.
 Bob's furniture should be assembled only by responsible adults and children
 should not be involved in the assembly process.
- Where provided, wall mounting hardware should always be used as
 prescribed in these instructions to anchor furniture to wall. Proper use of the
 wall mounting hardware can significantly reduce the potential for furniture
 tip-over and crushing injuries.

Toilet Hutch with

Glass



Thank you for purchasing the Toilet Hutch with Glass. We have found it helpful to have a second person present during the assembly process.

Toilet Hutch with Glass Assembly Instructions

Parts

NO.	DRAWING	DESCRIPTION	QTY
A		TOILET HUTCH	1
В		SHELF	2
С		FRENCH CLEAT	1

NO.	DRAWING	DESCRIPTION	QTY
D	9,000000000	M6x45MM BOLT	4
E	Jump	4x40MM	4
F		SHELF CLIP	8
G		ALLEN KEY	1
I	Auto- Auto- Auto-	ANTI-TIP	1

Step 1


Read through these instructions thoroughly before beginning assembly. We have found this to be of great value when assembling this product.

Step 2

Remove all parts and hardware from packing material. Wooden pieces should be placed on a non abrasive surface to prevent damage to the finish


Step 3

Remove Table Top of Toilet Base by unscrewing 4 pre-installed Hex Bolts (D).




Step 4

Open the Doors of Toilet Hutch (A), Insert 8-Shelf Clips (F) in Holes on Side Frames. Set Shelves (B) on Shelf Clips (F).



Step 5Attach Toilet Hutch (A) to Toilet Base using 4-M6x45MM Hex Bolts (D). NOTE: TIGHTEN ALL BOLTS AT THIS TIME!



CARE

Clean with a non abrasive cloth using a mild soap. Make sure to wipe dry.

IF YOU WANT TO HANG ON THE WALL

Step 1


Read through these instructions thoroughly before beginning assembly. We have found this to be of great value when assembling this product.


Step 2

Remove all parts and hardware from packing material. Wooden pieces should be placed on a non abrasive surface to prevent damage to the finish

Step 3

Remove the French Cleat (C) from the back of the Toilet Hutch (A) by unscrewing 2 pre-installed Wood Screws (E). Locate studs behind drywall in desired location. Attach French Cleat (C) to Wall Studs in at least 2 locations with Wood Screws (E)






7/9/2018 4 of 5 Toilet Hutch with Glass


Step 4

Open the Doors of Toilet Hutch (A), Insert 8-Shelf Clips (F) in Holes on Side Frames at desired location. Place Shelves (B) on Shelf Clips (F).



Step 5

Set Toilet Hutch (A) on French Cleat (C). Secure Toilet Hutch (A) to French Cleat (C) by installing 2



CARE

Clean with a non abrasive cloth using a mild soap. Make sure to wipe dry.